


www.club-3d.com









USER INSTRUCTIONS Thunderbolt[™]3 CSV - 1577







õeno

CSV-1577 Thunderbolt[™] 3 to DisplayPort[™] 1.2









Dual Monitor 2x 4k @ 60Hz or 1x 5k@ 60Hz







- Output States State
- Compliant to DisplayPort[™] 1.2 specification
- Powered thru Thunderbolt[™] 3, 15Watt, no external power needed
- OS Support: Mac OS[™] X and Windows[™] 10



• Supported max. output resolution for Dual Screen setup: up to 3840x2160p @ 60Hz

Important note for **Apple M1-chip based** computers:

Please note that for Mac Systems based on M1 Architecture the Multi Display function of Thunderbolt 3 is not enabled. This product will not work with the M1 Architecture.







laptop and two screens







Connect your Thunderbolt™ 3 video splitter with your laptop













Connect your Thunderbolt[™] **3 Splitter** with your DisplayPort[™] Cables

For Club3D Cables please visit www.club-3d.com









When your Thunderbolt[™] 3 Splitter is connected it's Plug and Play In Mirror Desktop Mode 2x 4k@60Hz









When your Thunderbolt[™] 3 Splitter is connected it's Plug and Play In Extended Desktop Mode 2x 4k@60Hz









Simply enjoy Thunderbolt[™] 3 1x 5K @60Hz quality In Single Desktop Mode with 2 cables connected







Thanks for buying Club 3D products



www.club-3d.com