Multi Stream Transport (MST) Hub DisplayPort™ 1.4 to HDMI™ Dual Monitor 4K60Hz M/F



Product Name:

Multi Stream Transport(MST)Hub DisplayPort™ 1.4 to HDMI™ Dual Monitor 4K60Hz M/F

Product Series: Video Splitter

Product Code: CSV-7200H

EAN code: 8719214471996

UPC code: 841615102228

Description:

The Club 3D Multi Stream Transport(MST)Hub DisplayPort™ 1.4 to Dual HDMI 4K60Hz is an integrated solution that allow you to enjoy displaying content onto two different displays simultaneously under MST mode. The Two screens can accommodate displaying same contents in parallel or by simply extending the existing screen, giving a panoramic view of the content which maximizes the user's visual experience. With its multi-display capabilities, this hub can serve as a convenient and hassle-free portable, alternative solution to the conventional docking station. It's the perfect solution for host devices which feature DP1.2 /1.4 graphic cards for gaming and commercial applications.

Features:

- Compliant with: DisplayPort™ v1.4, DisplayPort™ v1.2, VESA DDM Standard, HDMI™ 4K60Hz
- * Supports HDCP 1.4 and HDCP 2.2 Content protection
- Supports main link rates of 8.1Gbps (HBR3),5.4Gbps (HBR2), 2.7Gbps (HBR) and (1.62Gbps RBR) from source
- Supports up to Two HDMI[™] 4K60Hz ports
- Supported output resolutions :
- up to 3840*2160p @ 60Hz single or dual displays (Note when the source is DP1.4 and supports DSC1.2)
- 1x 3840*2160P/30HZ + 1x 1920*1080P/60HZ(DP1.2)
- * Supports transmission of audio and video signals
- Works with AMD*, Nvidia™ and Intel™ HD Graphics solutions
 - * Plug and Play no driver needed
- Functionality may vary per GPU and OS
- * USB Bus Powered

OS Support: ■ Windows10 ■ Mac OSX 10

■ Mac OSX 10.14.4 or above (limited to only mirror mode)

In the box:

- CSV-7200H, MST-Hub DisplayPort™ 1.4 to HDMI™ Dual 4K60Hz
- 1x external Power cable USB Type-A to Micro USB M/M

Available Interfaces

Input:

- 1x DisplayPort™ 1.4 Male for connecting to Host
- Micro USB Female for External Power

Output:

■ 2x HDMI™ Female for connecting to Displays

Other info:

- Box size: 6x24x3.5cm / 2.36 x 9.45 x 1.38"
- Device size: 6 x 4.9 x 1.13 cm / 2.36 x 1.93 x 0.44"
- Total length Device: 20 cm/ 7.87"
- Box Weight: 28 gr / 0.99 oz
- Device Weight: 50 gr / 1.76 oz
- CAC-1408 Cable Weight: 26 gr/ 0.95 oz
- \blacksquare LDPE Bag Weight: 5 gr / 0.17 oz
- Total Weight: 109 gr / 3.87 oz
- Meets ROHS, FCC, and CE EMI requirements

Note:

- Please update your TV Firmware to the version which supports these resolutions/refresh rates!
- Please update your Graphic drivers on your PC and make sure that DSC1.2 is supported on your devices to support the these resolutions/refresh rates!

Please use one of our Extension/Adapter cables to connect to your devices: In case you need assistance to choose the correct cable, please visit our website www.club-3d.com or feel free to mail us at support@club-3d.com and it will be our pleasure to assist you.

Input:

Output:







