


www.club-3d.com



# USER INSTRUCTIONS USB C Gen1 to DisplayPort™ CSV - 1545





CSV-1545
USB C Gen1 to
DisplayPort™ 1.2







- Compatible with Thunderbolt 3 over USB Type C source
- Supported output resolutions : up to 3840x2160p @ 60Hz for Single Monitor up to 2560X1600p @ 60Hz for Dual Monitors
- Supports USB Type C ALT mode 4 lanes
- Compliant with DisplayPort™ 1.2a for 1.62Gbps, 2.7Gbps or 5.4Gbps per lane
- Support for 6 / 8 / 10 / 12 bit color depth
- Support for HDCP 1.3 content protection
- Advanced WideEye SerDes technology capable of receiving data over long cables.
- Supports AMD Eyefinity™ (SLS) and Duplicate/ Extend Desktop mode
- Supports both MST- and SST Mode.
- Supports AMD, Nvidia and Intel Graphics solutions
- Powered thru USB Type C (5.0V @ 220mA max), no external power needed











USB Type C video splitter, DP cables, your laptop and two screens.







Connect your USB Type C video splitter with your laptop







# Connect your USB Type C video splitter with your DisplayPort™ cables

You can use Club3D cables: CAC-1064 or the CAC-1066





Simply enjoy 2 x 2K @ 30Hz quality



In Mirror Desktop Mode



Simply enjoy 2 x 2K @ 30Hz quality



In Extended Desktop Mode

CONNECT AND BOMORE



Simply enjoy 1 x 4K @ 60Hz quality



In Single Desktop Mode









Thanks for watching

www.club-3d.com